



"Kimberly M. Clarke"
<kmclarke@loureiro.com>

03/26/03 09:28 AM

To: Carolyn Casey/R1/USEPA/US@EPA
cc:
Subject: RE: MacDermid EIs

MACDERMID
CTD01164599
R-13
RDMS# 100799

Thanks Carolyn. I will inform Troy Charlton at MacDermid. Have a good vacation and I'll get in touch with you in April.

Kimberly M. Clarke
Project Manager
Loureiro Engineering Associates, Inc.
-an employee owned company-
100 Northwest Drive
Plainville, CT 06062
Phone: (860) 747-6181
Fax: (860) 747-8822
email: kmclarke@loureiro.com
website: www.loureiroengineering.com



RDMS DocID 00100799

The information contained in this electronic file or files is for convenience of use only. Loureiro Engineering Associates, Inc. (LEA) is not responsible for the data contained herein or for any computational programming contained herein. LEA's responsibility extends solely to original "Hard Copy" mapping and documents prepared by LEA. LEA is not responsible for the use or manipulation of information contained in this electronic file or files by others, or the use of this information in conjunction with other software programs. It is the responsibility of the user of this electronic file or files and any future users of this information to verify its accuracy.

-----Original Message-----

From: Casey.Carolyn@epamail.epa.gov [mailto:Casey.Carolyn@epamail.epa.gov]
Sent: Wednesday, March 26, 2003 9:12 AM
To: kmclarke@loureiro.com
Subject: MacDermid EIs

Sorry, it does not look like I will have any feedback on the EIs before I leave for vacation (tomorrow is my last day - returning Monday 4/14).

I will be asking Ernie Waterman to take a look at the review in my absence in order to keep things moving along. He will contact you as necessary.
Thanks Carolyn